

# DuPont™ Canopy® EX

herbicide

*Fall or spring apply — to get ahead and stay ahead of weed problems*

## DuPont™ Canopy® EX herbicide delivers results

- Provides reliable burndown of winter annual and perennial weeds, even under cool, fall or spring temperature conditions.
- Offers residual control to keep your fields clean until planting so you can plant soybeans as soon as spring weather/field conditions allow — rather than spraying weeds.
- Soils dry out faster, which helps you get a jump on spring fieldwork and reduces the potential for soilborne pathogens.

## Rate recommendation

- **In fields with a composite soil pH of 7.0 or less, higher rates of Canopy® EX are recommended for improved residual control.**  
Canopy® EX 1.5-2.2 oz/A  
+ 2,4-D LVE 1.0 pt/A  
+ COC 1% v/v
- **For variable pH soils where the composite pH of a field exceeds 7.0, use 1.1 ounces per acre of Canopy® EX herbicide for burndown and limited residual control of labeled weed species.**  
Canopy® EX 1.1 oz/A  
+ 2,4-D LVE 1.0 pt/A  
+ COC 1% v/v

## When to apply

- Applications can be made anytime after harvest before ground freeze-up and up to 7 days prior to planting in the spring.

## For more information

See your DuPont retailer or call your local DuPont representative for more information about Canopy® EX herbicide from DuPont. And visit us on the Web at [canopy.dupont.com](http://canopy.dupont.com).



Canopy® EX 2.2 oz/A + 2,4-D LVE + COC applied Nov. 11, 2005; Photo taken April 18, 2006. Predominant weeds controlled were deadnettle, chickweed, shepherd's-purse, purselane speedwell, lambsquarters and giant ragweed.



Canopy® EX at 1.5 oz/ A + 2,4-D LVE + COC. Applied Nov. 17, 2005. Photo taken April 26, 2006. Predominant weeds controlled were field pennycress, chickweed and dandelion.

## Canopy® EX herbicide will provide burndown control of the following weeds:

Bittercross, smallflowered	Lettuce, prickly	Smartweed, annual
Buttercup, smallflower	Marestail* (horseweed)	Speedwell: field, purslane
Butterweed (cressleaf groundsel)	Mustard, wild	Sunflower
Chickweed, common	Pennycress, field	Tansymustard
Dandelion	Pepperweed	Thistle, Canada (aboveground portion only)
Deadnettle: purple, red	Pigweed	Velvetleaf
Garlic, wild*	Ragweed: common, giant	Wallflower, bushy
Henbit	Rocket, yellow	Whitlowgrass
Lambsquarters*	Shepherd's-purse	

\* Addition of 8 oz ai/A of 2,4-D LVE is required.

***This reference guide is not intended as a substitute for the product label for the products referenced herein. Product labels for the above products contain important precautions, directions for use and product warranty and liability limitations that must be read before using the product. Applicators must be in possession of the product label(s) at the time of application. Always read and follow all label directions and precautions for use when using any pesticide alone or in tank mix combinations.***

The DuPont Oval Logo, DuPont™, The miracles of science™ and Canopy® are trademarks or registered trademarks of DuPont or its affiliates.

Copyright © 2006-2007 E.I. du Pont de Nemours and Company. All Rights Reserved. 3/07  
Reorder No.: K-14606 (Replaces K-14498)



The miracles of science™